



Torquing the "Norm" and the "Abnormal" User: Broader than What?

Justine Cassell Northwestern / Carnegie Mellon





Fields

- •Computational Linguistics
- Artificial Intelligence
- Human Figure Animation
 - HCI

•

Learning Science


Fields

- Computational Linguistics
- Artificial Intelligence
- Human Figure Animation
 - HCI

•

Learning Science


Questions




Fields

- Computational Linguistics
- Artificial Intelligence
- Human Figure Animation
 - HCI
- Learning Science

Questions







Example: Ethnicity and Literacy

- 12% of African American 4th graders reached "proficient" on the National Assessment of Educational Progress; 61% did not reach 'basic'. This effect worsens with age (NAEP, 2003).
- Use of dialect in the schools is negatively correlated with accuracy on the GORT-3 standardized reading test, *independent of SES.*
- Children from lower socioeconomic status increase in their use of AAVE in comparison to the their middle-class peers who decrease their use of AAVE (Wyatt, 1991; Wyatt, 2001). This indicates that issues of culture and identity are at play.
- What's going on, and can *peer* interfaces to educational content help?





AAE & MAE in Science Talk

Bridge-Building Task

Classroom Task

	Building	Classroom	
Measure	Peer	Teacher	Student
MLU	3	7.98*	5.73*
DDM	0.164	0.042	0.084

Children use less AAE ,and more complex language, when talking to Alex in the classroom task



Evaluate, evaluate, evaluate



AAE & MAE in Science Tall

Bridge-Building Task

Children use less AAE ,and more complex	
language, when talking to Alex in the classroom ta	isk

10.			Ê.	
	Building	Class	room	

	Building	Classroom		
Measure	Peer	Teacher	Student	
MLU	3	7.98*	5.73*	
DDM	0.164	0.042	0.084	

Classroom Task







AAE & MAE in Science Tall

Bridge-Building Task

Children use less AAE ,and more complex	
language, when talking to Alex in the classroom ta	isk

10.			Ê.	
	Building	Class	room	

	Building	Classroom		
Measure	Peer	Teacher	Student	
MLU	3	7.98*	5.73*	
DDM	0.164	0.042	0.084	

Classroom Task








Probabilistic Modeling for Dialogue Systems













For more information

http://www.justinecassell.com/ http://articulab.northwestern.edu



Computer Interaction Institute

Thanks to NSF ROLE, NSF HCC, NSF ALT,





Example:

Interface Design as Hypothesis Testing for Children with Autism

- Children with Autism
- Autism is characterized by a triad of impairments:
 - Reciprocal social interaction
 - Communication
 - Imagination
- Current approaches result in little change, and may disempower the ASD individual
- Can a virtual child help ASD individuals model the other mind



Dissertation work by Andrea Tartaro

Children with Autism Controlling & Authoring Virtual Peers



Children are more likely to take the perspective of a virtual peer than a real peer.
Transfer effect: children are more likely to take perspective of other real child appropriately after using AVP



Children with Autism Controlling & Authoring Virtual Peers



Children are more likely to take the perspective of a virtual peer than a real peer.
Transfer effect: children are more likely to take perspective of other real child appropriately after using AVP





End-user Programming

















